

# PORTAIL OSGOODE



| Categories: [Portail en bois](#), [Portails](#) |

## GALLERY IMAGES





## ADDITIONAL INFORMATION

<b>Wood Choice</b>	Pressure Treated, Cedar
<b>Pre-Staining</b>	Jarrah Brown, Natural, Mahogany Flame, Honey Teak
<b>Latches</b>	Paddle Latch
<b>Hinges</b>	8" Tee-Hinge
<b>Heights</b>	2' 6", 3' 6", 4' 6", 5' 6"
<b>Gate Types</b>	Walk, Double
<b>Wood Gate Upgrades</b>	Auto Closure, Extra Gate Handle, Gate Stop / Privacy Strip, Overhead Brace, Capped Brace, Newport Brace, Milled Posts, Larger Posts, Pillar Posts

## PRODUCT DESCRIPTION

L'exemple ci-dessus montre une porte Osgoode (concave) en cèdre. Cette photo particulière montre une porte qui n'est que de 4 pieds de haut, donc un support aérien n'est pas nécessaire pour le support.

Concave fait référence à la forme de l'incurvation sur la partie supérieure du portail. Si l'incurvation est plus haute au centre qu'aux poteaux, elle est convexe. Si l'incurvation est plus basse au centre qu'aux poteaux, elle est concave.

Les portails en bois standard sont deux fois plus chers que le prix au pied du modèle de clôture correspondant. Par exemple, si un modèle de clôture coûte 20 \$/pied, le portail correspondant commencera à 40 \$/pied.